WHITLEY COUNTY: Key Data Points

- A significantly lower percentage of parents in the county are unmarried, compared to the state overall, 25.3% versus 37.1% respectively
- The percentage of women breastfeeding on discharge is over 16% higher in the county than the entire state, 79.4% versus 63.2% respectively.
- Whitley county witnessed 6 accidental deaths (4 of which were motor vehicle)

Note: All figures relate to 2004 data from the Indiana State Department of Health, unless otherwise specified

Figure 1: Births

	То	tal	Wh	ite	Bla	ıck	Oth	ner
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
Whitley County	396	12.4	395	12.5	0	0(U)	1	2.6(U)
INDIANA	87,125	14.0	75,680	13.7	9,582	17.5	1,863	11.7

^{*} births per 1,000 population; U = unstable rate, based on fewer than 20 births

Figure 2: Infant Mortality

			NUI	MBER			RATE*	
COUNTY OF RESIDENCE	REPORTED RACE/ ETHNICITY	Live Births	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths (28-364	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths (28-364
		396	1	1	days)	**	**	days) 0.0
Whitley	All Races White	395	1	1	0	**	**	0.0
	Black	0	0	0	0	0.0	0.0	0.0
	Other	1	0	0	0	0.0	0.0	0.0
	Hispanic	5	0	0	0	0.0	0.0	0.0
INDIANA	All Races	87,125	702	472	230	8.1	5.4	2.6
	White	75,680	522	354	168	6.9	4.7	2.2
	Black	9,582	164	105	59	17.1	11.0	6.2
	Other	1,863	16	13	3	**	**	**
	Hispanic	7,237	65	50	15	9.0	6.9	**

^{*}rate per 1,000 live births **Numerator is less than 20 and the rate is unstable

Figure 3: Outcome Indicators of Mother, by Race


Birth Weight				During P	regnancy			
		% Low	% Very Low		% PNC 1st			%
WHITLEY	Total	(< 2500	(< 1500	%		%	%	Unmarried
COUNTY	Births	grams)	grams)	Preterm †	Trimester ‡	Alcohol	Smoked	Parents
All Races	427	6.1	0.7	7.7	84.5	0.5	18.5	25.3(S)
White	421	6.2	0.7	7.8	84.8	0.5	18.8	25.4
Black	1	**	**	**	**	**	**	**

Birth We		Veight			During P	regnancy		
	Total	% Low (< 2500	•		% PNC 1st Trimester	%	%	% Unmarried
INDIANA	Births	grams)	grams)	ı	Ŧ	Alcohol	Smoked	Parents
All Races	86,382	7.9	1.4	9.9	80.6	0.6	18.5	37.1
White	75,422	7.2	1.2	9.5	82.1	0.6	19.1	32.6
Black	9,288	13.3	3.3	13.3	68.2	1.1	15.2	76.3


[†] Preterm: less than 37 weeks gestation

Figure 4: Breastfeeding

WHITLEY	All	1471-24-	Dist
COUNTY	Races	White	Black
Total Births	427	421	1
Breastfeeding	339	333	1
on			
Discharge			
	79.4	79.1	100
% Breastfeeding on Discharge			



INDIANA	All Races	White	Black
Total Births	87,125	75,680	9,582
Breastfeeding on Discharge	55,556	49,825	4,269
% Breastfeeding on Discharge	63.8	65.8	44.6



[‡] PNC: Prenatal Care

^{&#}x27;S' Significantly different than the state percent

"**' Outcomes for this county are suppressed due to 20 or fewer total births

Figure 5: HIV/AIDS

	Total # of AIDS cases reported since 1982*	Total # of HIV cases reported since 1985*
WHITLEY	11	6
COUNTY		
INDIANA	7,989	3,945

^{*}numbers current through June 2006

Figure 6: Nutritional Risk Factors by Status,

Indiana WIC Clinics, Quarter Ending 09/30/2004

	Local Agency: Whitley County WIC Program Counties Included: Whitley						
	Childr	en 1-5 y	ears of Ag	e			%
Risk Factor or Status	White	Black	Hispanic	Asian	Other	Total	within Agency
Overweight	9	0	0	0	2	11	3.2%
At Risk for becoming Overweight	13	1	0	0	0	14	4.1%
Local Agenc Counties Inc	luded: A	All	e A				0/
Risk Factor or Status	White	Black	ears of Age Hispanic	Asian	Other	Total	% within Agency
Overweight	1,732	445	800	12	97	3,086	4.8%
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%

Priority Benchmarks (Whitley & Indiana)		
Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.	Whitley	Indiana
% of Population enrolled in Medicaid as of June 2003	7.4	12.4
% of Population in Food Stamps Program, 2005	4.6	9.0
Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate	Whitley	Indiana
Av Total Infant Death Rate (1995-2004)	5.5	7.9
Average Fetal Death Rate (1995-2004)	5.4	6.6
Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester	Whitley	Indiana
Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2005)	No Score	NA
% PNC 1st Trimester†, 2004	85.1	79.3
Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning	Whitley	Indiana
Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	9.3	10.4
%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2005-2006	2.42	2.42
Priority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking	Whitley	Indiana
% of mothers Smoked During Pregnancy, 2004	21.2	18.0
% of Adult Smoking in 2003	29.7	29.3
Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).	Whitley	Indiana
Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2002-2004)	3	771
Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	409.92	1602.35
Priority #8 (obesity): Obesity in pregnant women	Whitley	Indiana
Number of Obese Pregnant Women In Indiana, 2004	23	2,827
Priority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates	Whitley	Indiana
Child deaths due to Injury 1-14yrs (2002-2004)	3	279
Child Abuse and Neglect per 1,000 Population under age 18, 2004	4.6	13.5
Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio	Whitley	Indiana
% of Hispanic Population of any Race, 2005	1.0	4.5
Low Birth Weight Disparity Ratio (B/W) (1995-2004)	4.9	1.88

Source: Data Analysis Team, ISDH; Health Resources and Service Administration; Indiana Prevention Resource Center; Data analysis team, Office of Medicaid Policy & Planning. Notes: 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test; %EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each County.